MCRPC TARGET FRAMES

MCRPC provides target frames for use by its members on all ranges. These frames are maintained on a volunteer basis. ALL club members are expected to adhere to the following guidelines regarding use and care of target frames.



10 Things All Club Members Need to Know......

1. The metal target frames are designed to accept 2'x2' or 2'x3' wood or cardboard panel inserts. Paper targets may be placed anywhere on the panel inserts. <u>Do not</u> use tape to secure targets to the side rails.



- 2. Plinking targets are to be placed only on the berms in the area bounded by the top & bottom of the target frames, **not** on the frame or panels.
- Target frames should be lifted off and placed on the ground when shooting plinking targets. Unclip & pull out the locking pin to lift the target frame off its square

mounting post. Keep the locking pin looped around the metal base plate so it is not lost.

4. No targets are to be hung or attached to the upright posts at either side of the target frame. Hitting these posts will damage them. The upright posts are to accommodate mounts for steel targets.



5. Target frames may be positioned at two heights. The raised height with locking pin engaged is for use with 2'x2' panel inserts (first picture below). The lowered height, with locking pin removed is to accommodate 2'x3' panels (second picture below). Use of the lowered height with 2'x3' panels is to keep projectiles from flying over the berm.
<u>Do not</u> stack a 2'x2' panel on top of a 2'x2' panel to make a 2'x3' high panel. It makes it difficult to remove when they are shot-out. Use a 2'x3' panel!





- 6. When you are done shooting, please reinstall target frames on their base mounts. Important: Reinstall with the angled metal sides of the frame facing the firing line.
- 7. Panels that are shot-out should be removed from the frame and deposited in the dumpster. You may need to break wood shut-out panels into 2 or more pieces for removal from a frame. Beware of splinters. Do not leave broken panels next to or behind the target frames as shown below. Take the pieces to the dumpster!



- 8. <u>Green tip ammo is not to be used</u>. It will damage the metal frames. Club members observed using such ammo will be subject to disciplinary action including loss of membership privileges.
- 9. Report any problems with target frames to the Tom Evans (utahtom1@gmail.com, 732-803-2430), Head of grounds.
- 10. Replacement wood panels for target frames can be found at each range either by the wall or adjacent to the berm.